

## PEPC Rabbit pAb (AR20093)

### Key Features

|               |                                                                                              |
|---------------|----------------------------------------------------------------------------------------------|
| Host Species: | Rabbit                                                                                       |
| Reactivity:   | A.comosus, A.thaliana, H.vulgare, J.curcas, M.crystallinum, N.tabacum, Z.mays, T.weissfloggi |
| Applications: | WB                                                                                           |
| Isotype:      | IgG                                                                                          |
| MW:           | 105-109kDa (Observed)                                                                        |

### Recommended Dilution Ratios

|     |             |
|-----|-------------|
| WB: | 1:2000-5000 |
|-----|-------------|

### Storage

-15°C to -25°C/1 year (Do not lower than -25°C)

### Basic Information

|           |            |
|-----------|------------|
| Clonality | Polyclonal |
|-----------|------------|


### Immunogen Information

|             |                                              |
|-------------|----------------------------------------------|
| Specificity | The antibody detects endogenous PEPC protein |
|-------------|----------------------------------------------|

### Target Information

|                       |                                            |
|-----------------------|--------------------------------------------|
| Gene name             | PGC                                        |
| Protein Name          | Phosphoenolpyruvate carboxylase            |
| Cellular Localization | extracellular space,extracellular exosome, |
| Tissue specificity    | Brain,Liver,Placenta,Stomach               |

### Validation Data



Western blot analysis of Maize, diluted at 1:4000. Secondary Antibody was diluted at 1:20000