

Histone H3 (Acetyl Lys14) Rabbit mAb (AR1873)

Key Features

Host Species:	Rabbit
Reactivity:	Human,Mouse,Rat
Applications:	WB,IHC,IF,IP,ELISA,CHIP,Cut&Tag
Isotype:	IgG,Kappa
MW:	15kDa (Calculated) 17kDa (Observed)

Recommended Dilution Ratios

IHC:	1:1000-4000
WB:	1:2000-10000
IF:	1:200-1000
ELISA:	1:5000-20000
IP:	1:50-200
CHIP:	1:50-100
Cut&Tag :	1:50-100

Storage

-15°C to -25°C/1 year (Do not lower than -25°C)

Basic Information

Clonality	Monoclonal
-----------	------------

Immunogen Information


Specificity

Acetyl-Histone H3 (K14) Antibody detects endogenous levels of Histone H3 protein only when acetylated at K14. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites): GGkAP

Target Information

Gene name	HIST1H3A/HIST1H3B/HIST1H3C/HIST1H3D/HIST1H3E/HIST1H3F/ HIST1H3G/HIST1H3H/HIST1H3I/HIST1H3J/HIST2H3A/HIST2H3C/ HIST2H3D/H3F3A/H3F3B		
Protein Name	Histone H3.1/Histone H3.2/Histone H3.3		
Organism	Gene ID	UniProt ID	
Human	8350; 8351; 8352; 8353; 8354; 8355; 8356; 8357; 8358; 8968; 126961; 333932; 653604; 3020; 3021	P68431; Q71DI3; P84243	
Mouse	319152; 15077; 15078	P68433	
Rat	291159; 100361558	Q6LED0; P84245	
Cellular Localization	Nucleus. Chromosome		
Tissue specificity	Blood, Epithelium, Kidney, Lung, Ovary, Spleen, Uterus		

Validation Data




Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-Histone H3 (Acetyl Lys14) antibody. The HRP-conjugated Goat anti-Rabbit IgG (H + L) antibody was used to detect the antibody.

Lane 1: C6


Lane 2: C6 was treated with TSA(500ng/ml) for 4 hours

Predicted band size: 15kDa

Observed band size: 17kDa



Human tonsil was stained with anti-Histone H3 (Acetyl Lys14) Rabbit antibody.



Mouse liver was stained with anti-Histone H3 (Acetyl Lys14) Rabbit antibody

Rat liver was stained with anti-Histone H3 (Acetyl Lys14) Rabbit antibody

For Research Use Only